

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
31 May 2001 (31.05.2001)

PCT

(10) International Publication Number  
**WO 01/39001 A1**

(51) International Patent Classification<sup>7</sup>: **G06F 15/16**

(21) International Application Number: **PCT/US00/32510**

(22) International Filing Date:  
29 November 2000 (29.11.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/167,802 29 November 1999 (29.11.1999) US

(71) Applicant: **NEOMEDIA TECHNOLOGIES, INC.**  
[US/US]; Suite 600, 2201 Second Street, Fort Myers, FL  
33901 (US).

(72) Inventors: **DURST, Robert, T.**; 6111 Tidewater Island  
Circle, Fort Myers, FL 33908 (US). **HUNTER, Kevin**;  
8381 Arborfield Court, Fort Myers, FL 33912 (US).

**STEIN, David, J.**; 12071 Gateway Greens Drive, #223,  
Fort Myers, FL 33913 (US).


(74) Agent: **BARKUME, Anthony**; Greenberg Traurig, LLP,  
200 Park Avenue, New York, NY 10166 (US).

(81) Designated States (*national*): AE, AL, AM, AT, AU, AZ,  
BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK,  
DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,  
IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,  
LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT,  
RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA,  
UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: **SYSTEM AND METHOD FOR LINKING ONLINE RESOURCES TO PRINT MEDIA AND AUTHORING TOOL FOR SAME**



(57) Abstract: A network-based system and method permit a publisher (12) to generate and encode content to be readily accessed by codes (16) or indicia, such as bar codes, and which may be associated with advertising related to the content via the codes. The system supports composer, reader, discovery, and static web page interfaces for permitting users (26) to act as publishers (12), readers, or browsers (28), using the codes for efficient and rapid access of content.

WO 01/39001 A1

BEST AVAILABLE COPY

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
1 March 2001 (01.03.2001)


PCT

(10) International Publication Number  
WO 01/15021 A2

- (51) International Patent Classification<sup>7</sup>: G06F 17/30
- (21) International Application Number: PCT/US00/21452
- (22) International Filing Date: 4 August 2000 (04.08.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- |            |                             |    |
|------------|-----------------------------|----|
| 09/382,427 | 24 August 1999 (24.08.1999) | US |
| 09/382,425 | 24 August 1999 (24.08.1999) | US |
| 09/382,373 | 24 August 1999 (24.08.1999) | US |
| 09/382,371 | 24 August 1999 (24.08.1999) | US |
| 09/382,375 | 24 August 1999 (24.08.1999) | US |
| 09/379,699 | 24 August 1999 (24.08.1999) | US |
| 09/379,700 | 24 August 1999 (24.08.1999) | US |
- (71) Applicant: DIGITALCONVERGENCE.COM INC.  
[US/US]; Suite 600, 9101 North Central Expressway,  
Dallas, TX 75231 (US).
- (72) Inventors: PHILYAW, Jeffrey, Jovan; 5968 West North-west Highway, No. 1813, Dallas, TX 75225 (US). MATH-  
EWS, David, Kent; 3438 Livingston Lane, Carrollton, TX  
75007 (US).
- (74) Agents: HOWISON, Gregory, M. et al.; Howison,  
Chauza, Handley & Arnott, L.L.P., P.O. Box 741715,  
Dallas, TX 75374-1715 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,  
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR ESTABLISHING CONNECTION TO A REMOTE LOCATION ON A COM-  
PUTER NETWORK



(57) Abstract: A method for establishing a connection between a user (302) and a remote location (312) on a computer network (306) is provided, including multiple embodiments. A web browser may be opened and launched in response to an audible signal (111) received at the user location. The web browser automatically retrieves and displays information associated with the received audio signal from a remote site. A bar code (1606) which has no embedded routing information may be scanned to extract bar code information (1802). The bar code information is then utilized to obtain routing information (2102) which directs a user to the remote location. A web browser may be launched by a non-browser input which is correlated to simulate a predetermined browser input. The web browser automatically retrieves and displays information from the remote site. A unique code which has no embedded routing information may be received at the user location. Network routing information is then associated with the unique information and utilized to direct a user to the remote location. An existing machine-readable code on a product may be scanned to extract a product code embedded therein which includes no routing information. The code is then associated with routing information to direct a user to the remote location. A product code having product information is disposed in close association with the subject product. The product information is then extracted from the code and network routing information is associated with the product information. A tool (1600) having a unique ID (1804) is utilized in conjunction with a user computer. In response to utilizing the tool, the user is connected to a remote location associated with the unique ID of the tool.

WO 01/15021 A2

BEST AVAILABLE COPY

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
1 March 2001 (01.03.2001)


PCT

(10) International Publication Number  
**WO 01/15035 A2**

- (51) International Patent Classification<sup>7</sup>: **G06F 17/60**
- (21) International Application Number: **PCT/US00/21139**
- (22) International Filing Date: **3 August 2000 (03.08.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:  
09/382,426      24 August 1999 (24.08.1999)      US
- (71) Applicant: **DIGITALCONVERGENCE.COM INC.**  
[US/US]; Suite 600, 9101 North Central Expressway,  
Dallas, TX 75231 (US).
- (72) Inventors: **PHILYAW, Jeffrey, Jovan**; 5968 West North-  
west Highway #1813, Dallas, TX 75225 (US). **MATH-**  
**EWS, David, Kent**; 3438 Livingston Lane, Carrollton, TX  
75007 (US).
- (74) Agents: **HOWISON, Gregory, M. et al.**; Howison,  
Chauza, Handley & Arnott, L.L.P., P.O. Box 741715,  
Dallas, TX 75374-1715 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,  
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— Without international search report and to be republished  
upon receipt of that report.

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR COMPLETING, SECURING AND CONDUCTING AN E-COMMERCE TRANSACTION



(57) Abstract: A method of conducting an on-line transaction. A user at a PC (302) of a first location completes a profile information sheet and transmits it across a secure network (2708) to a central registration server (2704) at a second location also disposed on the network (306). The central registration server (2704) transmits a unique bar code and associated unique ID back to the user PC (302) at the first location, in response to the user sending the completed profile information sheet to the registration server (2704). When the user accesses a vendor server (2700) disposed on the network (306) for the purchase of products and/or services, the user transmits the bar code to the vendor server (2700) when prompted to complete a vendor payment form. The vendor server (2700) sends the bar code to the central registration server (2704) where the bar code is matched to the user profile information. The profile information is returned to the vendor server (2700) and automatically inserted into the vendor payment form. The vendor server then processes the transaction according to the credit information provided. Some or all fields of the vendor payment form are inserted with encoded information depending upon the user selecting a standard or invisible mode of payment, respectively. The payment form is then presented to the user at the user PC (302) for acceptance or rejection of the transaction.

BEST AVAILABLE COPY

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
1 March 2001 (01.03.2001)

PCT

(10) International Publication Number  
**WO 01/15019 A2**

(51) International Patent Classification<sup>7</sup>: **G06F 17/30**

(21) International Application Number: **PCT/US00/20911**

(22) International Filing Date: **1 August 2000 (01.08.2000)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:  
**09/378,221 19 August 1999 (19.08.1999) US**

(71) Applicant: **DIGITALCONVERGENCE.,COM INC.**  
[US/US]; Suite 600, 9101 North Central Expressway,  
Dallas, TX 75231 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:


— Without international search report and to be republished upon receipt of that report.

(72) Inventors: **PHILYAW, Jeffry, Jovan**; 5968 West Northwest Highway, No. 1813, Dallas, TX 75225 (US). **MATHEWS, David, Kent**; 3438 Livingston Lane, Carrollton, TX 75007 (US).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(74) Agents: **HOWISON, Gregory, M. et al.**; Howison, Chauza, Handley & Arnott, L.L.P., P.O. Box 741715, Dallas, TX 75374-1715 (US).

(54) Title: **METHOD AND APPARATUS FOR ACCESSING A REMOTE LOCATION BY SCANNING AN OPTICAL CODE**



(57) Abstract: A method for controlling a computer is disclosed wherein one or more remote locations disposed on a network are accessed in response to scanning an optical code. A first computer disposed on the network connects to a scanner for scanning the optical code of a product by a user. The scanner is uniquely identified with a scanner distributor by a scanner identification number. A second computer disposed on the network is accessed in response to the user scanning the optical code with the scanner, wherein a lookup operation is performed at the second computer to match the scanner identification number with the scanner distributor to obtain remote routing information of the one or more remote locations. The remote routing information is returned from the second computer to the first computer in order to access the one or more remote locations disposed on the network. The one or more remote locations are accessed to return remote information to the first computer for presentation.

WO 01/15019 A2

BEST AVAILABLE COPY